

### DIN6528 SOLID CARBIDE END MILLS

- Manufacturing process: fully ground
- Spiral angle: 30°
- Flutes: 2 flutes Type: ball nose
- Material: tungsten carbide
- Finish: bright, TiN, TiALN
- Diameter: 3.0-20.0mm



D	d	FL	OAL
4.0	4.0	8	50
5.0	5.0	10	50
6.0	6.0	10	57
7.0	7.0	13	60
8.0	8.0	16	63
9.0	9.0	16	67

D	d	FL	OAL
10.0	10.0	19	72
11.0	11.0	22	83
12.0	12.0	22	83
14.0	14.0	22	83
16.0	16.0	26	92
18.0	18.0	26	92
20.0	20.0	32	104

### DIN6528 SOLID CARBIDE END MILLS

- Manufacturing process: fully ground
- Spiral angle: 30°
- Flutes: 2 flutes Type: corner radius
- Material: tungsten carbide
- Finish: bright, TiN, TiALN
- Diameter: 3.0-20.0mm



D	d	FL	OAL	R
4.0	4.0	8	50	0.5
5.0	5.0	10	50	0.5
6.0	6.0	10	57	1
7.0	7.0	13	60	1
8.0	8.0	16	63	1
9.0	9.0	16	67	1
10.0	10.0	19	72	1.5
11.0	11.0	22	83	1.5
12.0	12.0	22	83	2
14.0	14.0	22	83	1
14.0	14.0	22	83	1.5

D	d	FL	OAL	R
14.0	14.0	22	83	2
16.0	16.0	26	92	2
16.0	16.0	26	92	2.5
16.0	16.0	26	92	3
18.0	18.0	26	92	2
18.0	18.0	26	92	2.5
18.0	18.0	26	92	3
20.0	20.0	32	104	2
20.0	20.0	32	104	2.5
20.0	20.0	32	104	3